



Wallace Doherty
Consulting Civil & Structural Engineers
 6f Carrakeel Industrial Park
 Maydown
 Derry
 BT47 6SZ
 Tel: 02871 863331
 E-mail: admin@wd-engineers.com

Drawing No. 14/1604

Rev

Schedule Sheet No. 2

Date prepared: Feb 2015

Date revised:

Prepared by : GMP

Checked by : GW

Site Ref: RC Pit

r
e
v

Member	Bar Mark	Type & Size	No. of Mbrs	No in Each	Total No.	Length of bar mm +	Shape Code	Bending Dimensions				
								A *mm	B *mm	C *mm	D *mm	E/R *mm
Beams												
	01	H16	02	3	6	1675	11	400	1300			
	02	H12	02	3	6	1475	11	400	1100			
	03	H20	02	3	6	4775	00	4775				
	04	H12	02	3	6	4775	00	4775				
	05	H20	02	6	12	2300	00	2300				
	06	H12	02	6	12	1750	00	1750				
	07	H20	02	3	6	2400	00	2400				
	08	H12	02	3	6	2400	00	2400				
	09	H16	02	9	18	1375	11	400	1000			
	10	H12	02	9	18	1175	11	400	800			
	11	H20	02	3	6	3250	00	3250				
	12	H12	02	3	6	3250	00	3250				
	13	H20	02	3	6	3100	00	3100				
	14	H12	02	3	6	3100	00	3100				
	15	H20	02	3	6	3125	00	3125				
	16	H12	02	3	6	2600	00	2600				
	17	H20	02	3	6	1750	00	1750				
	18	H12	02	3	6	1750	00	1750				
	19	H10	02	83	166	1825	51	230	600			
Wall A												
	20	H10	01	97	97	2800	11	1300	1525			
	21	H10	01	97	97	1600	23	200	1025	400		
	22	H10	01	10	10	1150	11	500	660			
	25	H10	01	18	18	6000	00	6000				
	26	H10	01	9	9	2900	00	2900				
	27	H10	01	24	24	2000	00	2000				
	30	H10	01	40	40	900	11	450	450			
	34	H10	01	2	2	1500	00	1500				

This schedule complies with BS8666:2005. * Specified in multiples of 5mm. + Specified in multiples of 25mm.