



Wallace Doherty
Consulting Civil & Structural Engineers
 6f Carrakeel Industrial Park
 Maydown
 Derry
 BT47 6SZ
 Tel: 02871 863331
 E-mail: admin@wd-engineers.com

Drawing No. 14/1604

Rev:

Schedule Sheet No. 1

Date prepared: Feb 2015

Date revised:

Prepared by : GMP

Checked by : GW

Site Ref: RC Pilecaps

r
e
v

Member	Bar Mark	Type & Size	No. of Mbrs	No in Each	Total No.	Length of bar mm +	Shape Code	Bending Dimensions				
								A *mm	B *mm	C *mm	D *mm	E/R *mm
PILECAP A												
	01	H20	4	3	12	2525	21	470	1660	470		
	02	H20	4	8	32	1300	21	450	460	450		
	03	H16	4	8	32	2825	21	700	500	1680		
PILECAP B												
	04	H20	1	6	6	4100	21	470	3230	470		
	05	H20	1	16	16	1900	21	450	1070	450		
	06	H16	1	8	8	5000	21	700	1100	3250		
PILECAP C												
	07	H20	1	8	8	5025	21	470	4155	470		
	08	H20	1	21	21	2200	21	450	1375	450		
	09	H16	1	8	8	2850	21	750	1410	750		
	10	H16	1	8	8	4150	00	4150				
PILECAP D												
	11	H16	4	3	12	1350	21	470	460	470		
	12	H16	4	3	12	1300	21	450	460	450		
	13	H12	4	6	24	1325	21	440	500	440		
G Beam GL A'												
	01	H12	1	8	8	1325	11	200	1150			
	02	H16	1	10	10	1525	11	200	1350			
	03	H12	1	4	4	4900	00	4900				
	04	H16	1	6	6	4900	00	4900				
	05	A8	1	26	26	2025	51	500	425			
	06	A8	1	26	26	1350	51	170	425			
G Beam GL 13+14												
	01	H12	2	4	8	1325	11	200	1150			
	02	H16	2	6	12	1525	11	200	1350			
	07	H12	2	4	8	2375	11	200	2200			
	08	H16	2	6	12	2375	11	200	2200			
	05	A8	2	10	20	2025	51	500	425			
	06	A8	2	10	20	1350	51	170	425			

This schedule complies with BS8666:2005. * Specified in multiples of 5mm. + Specified in multiples of 25mm.