



Wallace Doherty
Consulting Civil & Structural Engineers
 6f Carrakeel Industrial Park
 Maydown
 Derry
 BT47 6SZ
 Tel: 02871 863331
 E-mail: admin@wd-engineers.com

Drawing No. 14/1604

Rev

Schedule Sheet No. 3

Date prepared: Feb 2015

Date revised:

Prepared by : GMP

Checked by : GW

Site Ref: RC Pit

r
e
v

Member	Bar Mark	Type & Size	No. of Mbrs	No in Each	Total No.	Length of bar mm +	Shape Code	Bending Dimensions				
								A *mm	B *mm	C *mm	D *mm	E/R *mm
Wall B												
	20	H10	01	97	97	2800	11	1300	1525			
	21	H10	01	99	99	1600	23	200	1025	400		
	22	H10	01	30	30	1150	11	500	660			
	25	H10	01	27	27	6000	00	6000				
	27	H10	01	15	15	2000	00	2000				
	28	H10	01	3	3	2650	11	1325	1325			
	30	H10	01	20	20	900	11	450	450			
Wall C												
	23	H10	02	6	12	2225	11	660	1570			
	24	H10	02	6	12	1650	11	500	1150			
	37	H10	02	14	28	2150	11	825	1325			
	29	H10	02	7	14	1000	21	400	230	400		
Wall D												
	28	H10	01	14	14	2650	11	1325	1325			
	29	H10	01	7	7	1000	21	400	230	400		
	30	H10	01	6	6	900	11	450	450			
	31	H10	01	6	6	1550	11	450	1100			
	32	H10	01	6	6	1150	11	450	700			
Wall E												
	28	H10	01	16	16	2650	11	1325	1325			
	29	H10	01	8	8	1000	21	400	230	400		
Wall E1												
	37	H10	02	10	20	2150	11	825	1325			
	29	H10	02	5	10	1000	21	400	230	400		
	33	H10	02	12	24	2125	11	910	1225			
Base												
	25	H10	01	18	18	6000	00	6000				
	34	H10	01	2	2	1500	00	1500				
	35	H10	01	6	6	2800	00	2800				
	36	H10	01	6	6	3150	00	3150				

This schedule complies with BS8666:2005. * Specified in multiples of 5mm. + Specified in multiples of 25mm.